

Referral Flow Chart for Community Screenings

Naples Lions Club

8/4/2026

REFER FOR VISUAL ACUITY:

REFER FOR EYE EXAM AND GLASSES- Ophthalmic Consultation

- NLC Voucher application or
- Florida Lions Eye Clinic/Neighborhood Health Clinic information
- Provide glasses (Donated or First Sight)

REFER FOR PUFF: (Intraocular pressure): **Glaucoma Consultation**

- Florida Lions Eye Clinic/Neighborhood Health Clinic information

REFER FOR FDT: (peripheral vision): **Glaucoma Consultation**

- Florida Lions eye Clinic/Neighborhood Health Clinic information

REFER FOR AUTOREFRACTOR: **Ophthalmic Consultation**

- Florida Lions eye Clinic/Neighborhood Health Clinic information or
- NLC Voucher for eye exam and glasses
- Provide glasses (Donated or First Sight)

REFER FOR DRS (retina exam): **Ophthalmic Consultation**

- Florida Lions eye Clinic/Neighborhood Health Clinic information

Referral Directory Summary

- **Naples Lions Club (NLC) Voucher Program:** Use strictly for **Visual Acuity** or **Autorefractor** failures requiring an eye exam and glasses.
- **Florida Lions Eye Clinic & Neighborhood Health Clinic:** Use for **all** medical referral types (Puff, FDT, Autorefractor, and DRS retina exams).

8.4.26

CRITERIA FOR SCREENING FOR EACH VISION SCREENING PROCEDURE

General Instructions

- Every adult and child (age dependent) should be screened with **Visual Acuity first**.
- Air Puff and FDT- Adults 40 years old or more or have high blood pressure, glaucoma or diabetes

Visual Acuity Screening

- Screen every adult and child who is old enough to read numbers

Air Puff Tonometer (Eye Pressure Test)

- Adults 30 years old or more
- Instructions in Spanish
 - Do you see Ves? Or lo ves?
 - Lay your forehead here Apolla su frente aqui
 - Look for the green light Mira la luz verde

Auto Refractor

- Use the SPOT for any child who was referred from Visual Acuity or is too young for VA screening
- Any adult who was referred from Visual Acuity Screening

FDT Visual Screener

- 40 or more years old
- History of glaucoma
- Air Puff screening results 20 or more in either eye
- Self-reports visual field loss

Referral Criteria

- **Visual Acuity: vision worse than 20/40 near or far- children and adults**
- **FDT: If misses one or more spots in field testing in either eye after repeat testing**
- **Air Puff Tonometry: Pressure greater than 20 in either eye**

rev 8/4/26

